

ETHNOVETERINARY FORMULATIONS FOR IMPORTANT AILMENTS IN BOVINES







Mastitis (all types)



















Lime

Ingredients:

a) Aloe vera – 250 g; b) Turmeric- 50 g (rhizome or powder); c) Calcium Hydroxide (lime)-15 g; Lemon - 2 nos.

Preparation:

(i) Blend ingredients (a to c only) to form a reddish paste. (ii) Cut both lemons into half.

Application:

(i) Make a handful of paste watery by adding 150-200 ml of water.(ii) Wash and clean the udder and apply the mixture throughout. (iii) Repeat application 10 times a day for 5 days. (iv) Feed 2 lemons twice daily for 3 days.

Note: For blood in milk, in addition to the above, make a paste of curry leaves (2 handfuls) and jaggery and feed orally twice daily till condition resolves.



Teat obstruction











or

Ghee

Ingredients:

Freshly plucked & clean neem leafstalk— 1; Turmeric powder; Butter or Ghee

Preparation:

(i) Nip the neem leafstalk at the required length based on teat length. (ii) Coat the turmeric powder & butter/ghee mixture thoroughly on the neem leafstalk.

Application:

(i) Insert the coated neem leafstalk into the affected teat in an anti-clockwise direction.(ii) Replace with fresh neemstalk after each milking.



Udder Oedema









Ingredients:

Sesame or mustard oil – 200 ml; Turmeric powder-1 handful; Garlic-2 pearls.

Preparation:

- (i) Heat oil, add turmeric powder and sliced garlic.
- (ii) Mix well and remove from flame just as the flavour develops (no need to boil). (iii) Allow to cool.

Application:

(i) Apply in a circular manner with force over the entire oedematous region and udder. (ii) Apply 4 times a day for 3 days.

Note:Rule out mastitis before using the formulation.



Retention of Placenta



Radish





Lady's finger



Salt



Ingredients:

White radish – 1 full tuber; Lady's finger - 1.5 kg; Jaggery- as required; Salt- as required

Preparation:

(i) Cut each lady's finger into 2 pieces.

Application:

(i) Feed one full tuber radish within two hours of calving. (ii) Feed 1.5 Kg of fresh lady's finger with jaggery and salt if ROP persists after 8 hours of calving. (iii) In case ROP persists even after 12 hours of calving, tie a knot very close to the base and cut 2 inches below the knot and leave it. The knot will go in. (iv) Do not try to remove the retained placenta by hand. (v) Feed one full tuber of radish once a week for four weeks.



Repeat breeding



Application:

- (i) Start treatment on 1st or 2nd day of heat.
- (ii) Feed orally in fresh form in the following order once a day along with jaggery and salt:
- (a)1 white radish daily for 5 days (b) 1 Aloe vera leaf daily for 4 days.(c) 4 handfuls of moringa leaves for 4 days. (d) 4 handfuls of cissus stem for 4 days. (e) 4 handfuls of curry leaves with turmeric for 4 days.
- (f) Repeat the treatment once again if the animal has not conceived.



Prolapse









Mimosa leaves

Ingredients:

Aloe vera gel- from one full leaf; Turmeric powderone pinch; Mimosa pudica leaves- 2 handfuls.

Preparation:

(i) Remove the gel from a whole leaf. (ii) Wash it multiple times till the sliminess is reduced. (iii) Add a pinch of turmeric powder and boil to half the original volume and allow to cool (iv) Prepare a paste of M. pudica leaves.

Application:

(i) Clean the prolapsed mass (ii) Sprinkle the gel on the prolapsed mass. (iii) Apply M.pudica paste after the gel dries. (iv) Repeat till the condition improves.



FMD mouth lesions



Ingredients:

Cumin seeds-10 g; Fenugreek seeds- 10 g; Black pepper- 10 g Turmeric powder — 10 g; Garlic- 4 pearls; Coconut- 1; Jaggery- 120 g.

Preparation:

(i) Soak cumin, fenugreek and black pepper seeds in water for 20-30 mts. (ii) Blend all ingredients to a fine paste. (iii) Add 1 full grated coconut to the paste and mix by hand only. (iv) Prepare dose freshly for each application.

Application:

(i) Apply inside the mouth, tongue and palate. (ii) Give the preparation thrice a day for 3 to 5 days.



FMD foot lesions/wound



Ingredients:

Acalypha indica leaves- 1 handful; Garlic-10 pearls; Neem leaves- 1 handful; Coconut or Sesame oil-250ml; Turmeric powder – 20 g; Mehndi leaves- 1 handful; Tulsi leaves – 1 handful.

Preparation:

(i) Blend all the ingredients thoroughly. (ii) Mix with 250 ml coconut or sesame oil and boil and bring to cool.

Application:

(i) Clean the wound and apply directly or bandage with a medicated cloth. (ii) Apply Anona leaf paste or camphorated coconut oil for the first day only if maggots are present.



Fever



Ingredients:

Garlic– 2 pearls; Coriander- 10 g; Cumin-10 g; Tulsi-1 handful; Dry cinnamon leaves-10 g; Black pepper-10 g; Betel leaves- 5 no.s; Shallots- 2 bulbs; Turmeric powder- 10 g; Chirata leaf powder-20 g; Sweet basil- 1 handful; Neem leaves- 1 handful; Jaggery- 100 g.

Preparation:

(i) Soak cumin, pepper and coriander seeds in water for 15 mts. (ii) Blend and mix all ingredients to form a paste.

Application:

(i) Administer orally in small portions in the morning and evening.



Diarrhoea



Ingredients:

Fenugreek seeds – 10 g; Onion- 1 no.; Garlic- 1 pearl; Cumin seeds- 10 g; Turmeric- 10 g; Curry leaves- 1 handful; Poppy seeds – 5 g; Pepper- 10 g; Jaggery- 100 g; Asafoetida- 5 g.

Preparation:

(i) Dry fry cumin seeds, asafoetida, poppy seeds and fenugreek seeds till smoke emanates.(ii) Cool and powder the fried seeds.(iii) Blend it with rest of the ingredients to form a paste.

Application:

(i) Roll the paste into small balls. (ii) Administer orally in small portions once daily for 1-3 days till condition cures.



Bloat and Indigestion



Ingredients:

Onion- 100 g; Garlic-10 pearls; Dry Chilly- 2; Cumin seeds- 10 g; Turmeric -10 g; Jaggery- 100 g; Pepper- 10 g; Betel leaves- 10 no.s; Ginger – 100 g

Preparation:

(i) Soak pepper and cumin seeds for 30 mts. (ii) Blend along with other ingredients to form a paste.

Application:

(i) Roll the paste into small balls. (ii) Administer orally in small portions with salt 3-4 times a day for 3 days.



Worms



Ingredients:

Onion- 1 no; Garlic-5 pearls; Mustard seeds- 10 g; Neem leaves- 1 handful; Cumin- 10 g; Bitter gourd- 50 g; Turmeric- 5 g; Pepper- 5 g; Banana stem- 100 g; Common leucas -1 handful; Jaggery- 100 g.

Preparation:


- (i) Soak pepper, cumin and mustard seeds for 30 mts.
- (ii) Blend along with other ingredients to form a paste.

Application:

(i) Roll the paste into small balls. (ii) Administer in small portions with salt once daily for 3 days.



Tick/Ectoparasites



Ingredients:

Garlic– 10 pearls; Neem leaves- 1 handful; Neem fruit-1handful; Acorus rhizome- 10 g; Turmeric powder- 20 g; Lantana leaves- 1 handful; Tulsi leaves- 1 handful.

Preparation:

(i) Blend all the ingredients. (ii) Add one litre of clean water. (iii) Strain with a fine sieve or muslin cloth.(iv) Transfer to a bottle attached to a sprayer.

Application:

(i) Spray on the entire body of the animal. (ii) Also spray on any cracks and crevices in the cattle shed.(iii) Application can also be done using a cloth dipped in the solution.(iv) Repeat once a week till the condition resolves. (v) Do the application only during sunny part of the day.



Pox/wart/cracks



Garlic



Turmeric



Cumin





Sweet basil



Butter



Neem

Ingredients:

Garlic-5 pearls; Turmeric powder- 10 g; Cumin seeds-15 g; Sweet basil - 1 handful; Neem leaves - 1 handful; Butter(preferred) or ghee-50 g.

Preparation:

(i) Soak cumin seeds in water for 15 mts. (ii) Blend all ingredients to a fine paste. (iii) Add butter and mix well

Application:

(i) Apply on affected part as many times as possible till condition resolves. (ii) Apply after drying the skin surface.



